



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities.*

CONNECTICUT—*Hartford*.—Month of April, 1897. Estimated population, 72,000. Total deaths, 100, including phthisis pulmonalis, 12; enteric fever, 1; diphtheria, 1; measles, 1, and whooping cough, 1.

*Meriden*.—Month of April, 1897. Estimated population, 28,500. Total deaths, 31, including 8 from phthisis pulmonalis.

*Westport*.—Month of April, 1897. Estimated population, 4,000. Total deaths, 6, including 2 from phthisis pulmonalis.

COLORADO—*Denver*.—Month of March, 1897. Estimated population, 160,000. Total deaths, 184, including phthisis pulmonalis, 50; enteric fever, 6; scarlet fever, 2; diphtheria, 4; croup, 1; measles, 5, and whooping cough, 4.

FLORIDA.—Month of January, 1897. Reports to the State board of health from 45 counties, having an aggregate population of 391,418, show a total of 312 deaths, including phthisis pulmonalis, 40; croup, 2; enteric fever, 5, and whooping cough, 1.

*Pensacola*.—Month of April, 1897. Estimated population, 15,000. Total deaths, 16, including 4 from phthisis pulmonalis.

*Tampa*.—Month of April, 1897. Estimated population, 26,000. Total deaths, 28, including phthisis pulmonalis, 3, and whooping cough, 1.

KENTUCKY—*Louisville*.—Month of April, 1897. Estimated population, 215,572. Total deaths, 190, including phthisis pulmonalis, 34; enteric fever, 7; diphtheria, 2, and whooping cough, 1.

LOUISIANA—*Shreveport*.—Month of April, 1897. Estimated population—white, 7,500, colored, 7,500; total, 15,000. Deaths—white, 3, colored, 10; total, 13, including 1 from phthisis pulmonalis.

MAINE—*Portland*.—Four weeks ended April 17, 1897. Estimated population, 41,500. Total deaths, 64, including phthisis pulmonalis, 6; enteric fever, 1; croup, 1, and diphtheria, 1.

MARYLAND—*Cumberland*.—Month of April, 1897. Estimated population, 12,729. Total deaths, 10, including 1 from phthisis pulmonalis.

MICHIGAN.—Week ended May 1, 1897. Reports to the State board of health, Lansing, from 58 observers, indicate that remittent fever, diarrhea, and pleuritis increased, and intermittent fever decreased in area of prevalence. Phthisis pulmonalis was reported present during the week at 166 places, measles at 91, diphtheria at 24, scarlet fever at 23, enteric fever at 12, whooping cough at 5, and smallpox at 1 place (Blissfield Township).

MINNESOTA—*Winona*.—Month of April, 1897. Estimated population, 22,000. Total deaths, 21, including phthisis pulmonalis, 1, and enteric fever, 1.

NEW HAMPSHIRE—*Manchester*.—Month of March, 1897. Estimated population, 60,000. Total deaths, 119, including phthisis pulmonalis, 11, and diphtheria, 2.

**NORTH CAROLINA.**—Month of March, 1897. Reports to the State board of health from 24 towns having an aggregate population of 128,385—white, 73,172; colored, 55,213, show a total of 151 deaths—white, 51; colored, 100, including phthisis pulmonalis, 37; enteric fever, 1; measles, 2; and whooping cough, 1.

**OHIO**—*Dayton*.—Month of April, 1897. Estimated population, 85,000. Total deaths, 78, including phthisis pulmonalis, 17; scarlet fever, 1; diphtheria, 3, and whooping cough, 2.

**PENNSYLVANIA**—*Pottsville*.—Two weeks ended May 6, 1897. Estimated population, 14,117. Total deaths, 12, including phthisis pulmonalis, 1, and diphtheria, 1.

*Williamsport*.—Month of March, 1897. Estimated population, 35,000. Total number of deaths not reported. The deaths included 2 from phthisis pulmonalis, 1 from enteric fever, and 1 from whooping cough.

Month of April, 1897. Total deaths, 17, including 2 from phthisis pulmonalis.

**TENNESSEE.**—Month of March, 1897. Reports to the State board of health from 5 cities and towns having an aggregate population of 197,888—white, 119,168; colored, 78,720. Deaths, white, 129; colored, 152; total, 281, including phthisis pulmonalis, 33; enteric fever, 2; measles, 2, and whooping cough, 3.

*Chattanooga*.—Month of April, 1897. Estimated population—white, 27,000; colored, 13,000; total 40,000. Deaths—white, 9; colored, 15; total 24, including phthisis pulmonalis, 1, and enteric fever, 2.

*Memphis*.—Month of April, 1897. Estimated population—white, 28,573; colored, 27,561; total, 56,134. Deaths—white, 43; colored, 57; total, 100, including phthisis pulmonalis, 27; enteric fever, 1; diphtheria, 1; measles, 2, and whooping cough, 1.

**NASHVILLE.**—Month of March, 1897. Estimated population—white, 54,595; colored, 33,159; total, 87,754. Deaths—white, 64; colored, 66; total, 130, including phthisis pulmonalis, 11; measles, 1, and whooping cough, 3.

**VIRGINIA**—*Richmond*.—Month of April, 1897. Estimated population—white, 56,440; colored, 47,120; total, 103,560. Deaths, white, 48; colored, 50; total, 98, including phthisis pulmonalis, 19; enteric fever, 1, and whooping cough, 5.